

Bibliographie

- Aasheim V, Nilsen ABV, Lukasse M et al (2011). Perineal techniques during the second stage of labour for reducing perineal trauma. Cochrane Data Sys Rev, 12: CD006672. DOI: 10.1002/14651858.CD006672.pub2.
- ACOG (American Congress of Obstetricians and Gynecologists) (2011). Partnering with Patients to Improve Safety, Committee Opinion number 490
- Albers L., Schiff M., Gorwoda JG. (1996). The length of active labor in normal pregnancies. *Obstet Gynecol.* 87(3):355-9.
- Albers , L. , Sedler , K. , Bedrick , E. , Teaf , D. , & Peralta , P . (2006). Factors related to genital tract trauma in normal spontaneous vaginal births. *Birth* , 33 , 94-100 .
- Allègre C., (1995). « *La Défaite de Platon: ou la science du XX^e siècle* », Paris, Fayard,
- Anderson T. (2000), Feeling safe enough to let go: the relationship between the woman and her midwife in the second stage of labour. In M. Kirkham (ed) The Midwife-Woman relationship, London: Routledge, p.92-118
- Annandale E., (2014). *The Sociology of Health and Medicine: A Critical Introduction, 2nd Edition*, Cambridge : Polity Press
- Antonovsky, A. A. (1987). Unraveling the mystery of health: How people manage stress and stay well. San Francisco, CA: Jossey-Bass.
- ASPC (Association de santé publique du Canada) (2000). Les soins à la mère et au nouveau-né dans une perspective familiale : lignes directrices nationales . Gouvernement du Canada à <http://www.phac-aspc.gc.ca/hp-ps/dca-dea/publications/fcmnc-smnnpf/index-fra.php>
- Association canadienne des sages-femmes (2010), Pratique sage-femme et accouchement normal, énoncé de principe à http://www.canadianmidwives.org/DATA/DOCUMENT/CAM_FR_Midwifery_Care_Normal_Birth_FINAL_Nov_2010.pdf
- Association pour la santé publique du Québec _ASPQ (2010) Enfanter le monde : une réflexion interdisciplinaire sur les premiers temps de la vie_Cahier des communications, à <http://www.aspq.org/uploads/pdf/4d404abb90b38cahier-des-communications-final.pdf>
- Azad MB, Konya T, Maughan H, et al. (2013) Gut microbiota of healthy Canadian infants: profiles by mode of delivery and infant diet at 4 months. *CMAJ*, 185:385-94.

- Bachelard G., (1999), *Le nouvel esprit scientifique*, Paris: Quadrige/PUF
- Baddock, S. (2010). Physiological changes during labour. In S. Pairman, S. Tracy, C. Thorogood & J. Pincombe (Eds.), "Midwifery: Preparation for practice" (2nd ed.). Sydney: Churchill Livingstone Elsevier p.469-485
- Bailit J.L., LeRoy D., Blanchard M.H., Mercer B. (2005). Outcomes of Women Presenting in Active Versus Latent Phase of Spontaneous Labor, *Obstetrics & Gynecology*, 105(1) : 77-79
- Balsamo, A. (1999). Public Pregnancies and Cultural Narratives of Surveillance , in Adele Clarke and Virginia Olesen, *Revisioning Women, Health and Healing*, London : Routledge
- Barber E., Bélanger K., Pettker C.M., Funai E.F., Illuzzi J.L., (2011). Contributing Indications to the Rising Cesarean Delivery Rate, *Obstet Gynecol*. Jul; 118(1): 29-38.
- Barcklay L., et al (1997). Becoming a mother_an analysis of the experience of early motherhood, *Journal of Advanced Nursing*, 25: 719-728
- Barnett C., Hundley V., Cheyne H., and Kane F., (2008) "Not in Labour": impact of sending women home in the latent phase. *British Journal of Midwifery*, 16(3): 144-153
- Barnfather, T., (2013). "Can intuitive knowledge be taught in midwifery practice?" *British Journal Of Midwifery*, 21(2): 131-136
- Begley CM., Gyte GML., Murphy DJ., Devane D., McDonald SJ., McGuire W., (2010) "Active versus expectant management for women in the third stage of labour (Review)", *The Cochrane Library*, Issue 7
- Bélanger M., (2002) "*Le flou dans la bergerie*", Montréal: Liber
- Bélanger-lévesque M.N. (2012) La spiritualité en salle de naissance: Exploration de l'expérience du parent. Mémoire de Maîtrise (non publié), Théologie et études religieuses, Université de Sherbrooke, Québec
- Belenky, M. F., & al. (1997). "*Women's ways of knowing: the development of self, voice, and mind*". New York: Basic Books.
- Belisle S., (2003) Rites de naissance pour la paix des morts : parenté du placenta et du cadavre dans la dialectique de la naissance et de la mort, Travail dans le cadre du cours COM-7624 Anthropologie de la mort, UQAM

Bell A.F, Erickson E.N, Carter C.S. (2014) "Beyond labor: the role of natural and synthetic oxytocin in the transition to motherhood", *J Midwifery Womens Health*. Jan-Feb;59 (1):35-42

Belzègue J.J. (1999-2000) La douleur a-t-elle un sens ou est-elle un non-sens?, Diplôme universitaire d'éthique médicale, non publié, Faculté de médecine de Marseille

Benfield, R. D., Hortobagyi, T., Tanner, C. J., Swanson, M., Heitkemper, M. M., & Newton, E. R. (2010). "The effects of hydrotherapy on anxiety, pain, neuroendocrine responses, and contraction dynamics during labor". *Biological Research for Nursing*, 12(1), 28-36

Bergeret-Amselek A., (1997), "Le Mystère des Mères", Paris : Desclée de Brouwer

Bergstrom L., Seedily J., Schulman-Hull L., Roberts J., (1997) "I gotta push. Please let me push!" : social interactions during the change from first to second stage of labour. *Birth*, 24 (3): 173-180

Bertrand P., (2002) « Pour l'amour du monde », Montréal : Liber

Birke, L., (2000) "Feminism and the biological body", New Brunswick NJ : Rutgers University Press

Blackburn ST. (2007) "Maternal, Fetal and Neonatal Physiology: A Clinical Perspective", (fourth ed.), Saunders, Missouri: Elsevier

Bloom S., Casey B., Schaffer J., McIntire D., Leveno K., (2006) "A randomized trial of coached versus uncoached maternal pushing during the second stage of labor". *American Journal of Obstetrics & Gynecology*, 194: 10-13

Blum , L.M, (1999) "At the breast", Boston : Beacon Press

Borre YE., et al.(2014)The impact of microbiota on brain and behavior: mechanisms & therapeutic potential. , *Adv Exp Med Biol.*,817:373-403. doi: 10.1007/978-1-4939-0897-4_17.

Borrelli S.E., Dattolo C., Nespoli A., (2013) Midwives' approaches to early pushing urge in labour, *British Journal of Midwifery*, 23 (9), 640-646

Bose P., Regan F., Paterson-Brown S., (2006) "Improving the accuracy of estimated blood loss at obstetric haemorrhage using clinical reconstructions". *BJOG*, 113: 919-924

Bosomworth A., and Bettany-Saltikov J., (2006). "Just take a deep breath: a review to compare the effects of spontaneous versus directed Valsalva pushing in the second stage of labour on maternal and fetal well-being". *MIDIRS Midwif Dig*, 16(2): 157-165

Boulous Walker (1998) *Philosophy and the Maternal Body: Reading Silence*. London : Routledge

Brabant I., (1987) « Ne touchez pas à ma douleur ! » , in *Revue L'une à l'autre*, vol. 4 (1) : 9-16.

Brabant I., (2012), « Est-ce que l'accouchement « naturel » a encore sa place en 2012? conférence prononcée le 14 mai 2012, organisée par la Maison de la Famille Drummond en allaitement et périnatalité à Drummondville

Brabant I., (2013) « *Une naissance heureuse* », Montréal : Ed Saint-Martin

Braude, H. D. (2012). “Clinical intuition versus statistics: different modes of tacit knowledge in clinical epidemiology and evidence-based medicine”. *Theoretical Medicine and Bioethics*, 30(3): 181-198

Brobstein P., (2005) « Revisiting Science in Culture : Science as Story Telling and Story Revising », *Journal of Research Practice*, Volume 1, Issue 1, Article M1, in <http://jrp.icaap.org/content/v1.1/grobstein.html>

Brown S.A., Grimes D.E., (1995). “A Meta-Analysis of Nurse Practitioners and Nurse Midwives in Primary Care”. *Nursing Research* 44(6):332-39.

Bryers H.M., vanTeijlingen E.,(2010) , “Risk, theory, social and medical models: A critical analysis of the concept of risk in maternity care”, *Midwifery*, 26: 488-496

Buckley S.J. (2004) “Undisturbed Birth: Nature’s Hormonal Blueprint for Safety, Ease and Ecstasy”. *MIDIRS Midwifery Digest* 14:203-209. à <http://www.midirs.org/midirs/midweb1.nsf/services?openform>

Buckley S.J. (2009) “*Gentle Birth, Gentle Mothering: A Doctor’s Guide to Natural Childbirth and Gentle Early Parenting Choices*”, Berkeley: Celestial Arts

Buckley S.J., (2012) Ecstatic Birth: Nature’s Hormonal Blueprint for Labor, à <http://www.sarahbuckley.com/>

Buckley S.J. (2015) “Hormonal Physiology of Childbearing: Evidence and Implication for Women, Babies, and Maternity Care” *Childbirth Connection* à <http://transform.childbirthconnection.org/reports/physiology/>

Bugg GJ, Stanley E., Baker PN, Taggart MJ, Johnson TA, (2006) “Outcomes of labours augmented with oxytocin”. *Eur J Obstet Gynecol Reprod Biol*, 124: 37-41

Buhimschi C.S, et al (2003) The Forces of Labour, *Fetal and Maternal Medicine Review*, 14, pp 273-307. doi:10.1017/S0965539503001128.

- Burns E., (2001) "Waterbirth" MIDIRS *Midwifery Digest* 11:S10-S13
- Burkhardt MA, Nagai-Jacobson M. (2002) « *Spirituality: living our connectedness* ». Albany: Delmar;
- Cadorette M., (2006) Le consentement libre et éclairé de la parturiente en droit québécois : L'accouchement comme contexte d'évitement du respect de l'autonomie, Faculté de droit, Université Laval, à www.theses.ulaval.ca/2006/23768/23768_1.pdf
- Caillois R.,(1950), « *L'homme et le sacré* », Gallimard, Paris
- Callister, L.C., (2004). « Making meaning: women's birth narratives ». *American Journal of Maternal/Child Nursing* 33, 508–518.
- Carlson N.L., Lowe N.K. (2013) "A concept analyses of watchful waiting among providers caring for women in labour", *Journal of Advanced Nursing* , 70 (3):511-522
- Carrier M., (2005) Penser le sacré. Les sciences humaines et l'invention du sacré, Montréal: Liber
- Castoriadis, C. (1990). "Le monde morcelé: les carrefours du labyrinthe III ". Paris: Seuil.
- Castoriadis C., (1996) « *La montée de l'insignifiance* », Paris : éd. du Seuil
- Challis J. R. G., Matthews, S. G., Gibb W., Lye S. J. (2000). "Endocrine and paracrine regulation of birth at term and preterm". *Endocr. Rev.* 21, 514-550.
- Chamberlain G., Drife J., (1995), "What is a prolonged second stage of labour? " *Contemp. Rev. Obstet. Gynaecol.* 7:69-70
- Charte d'Ottawa pour la promotion de la santé (1986), à <http://www.phac-aspc.gc.ca/ph-sp/docs/charter-chartre/index-fra.php>
- Cheng YW, Hopkins LM, Caughey AB. (2004) "How long is too long: Does a prolonged second stage of labor in nulliparous women affect maternal and neonatal outcomes?". *Am J Obstet Gynecol.* 191(3):933-8.
- Cheng Y., Caughey A.B., (2012), "Normal labor and Delivery", à <http://emedicine.medscape.com/article/260036-overview#showall>
- Cheyne H., Dowding D., Hundley V., Aucott L., Styles M., Mollison J., Niven C., (2008), "The development and testing of an algorithm for diagnosis of active labour in primiparous women", *Midwifery*, 24 (2), pp. 199-213

Cho CE, Norman M. (2013). « Cesarean section and development of the immune system in the offspring ». *Am J Obstet Gynecol.* 208(4):249-54

Church P, Raynor MD. (2000). “*Reflection and articulating intuition*” In: Fraser D. (Ed.). *Professional studies for midwifery practice*. Churchill Livingstone: Edinburgh: 23-43.

Clarke, A.E., and Olesen V.L, « Revising, diffracting, Acting », in Adele E. Clarke and Virginia L Olesen ed (1999). *Revisioning Women, Health, and Healing*, London : Routledge, 1999, p.3-48.

Cluett E.R., Pickering R., Getliffe K., (2004). Randomised controlled trial of labouring in water compared with standard of augmentation for management of dystocia in first stage of labour. *British Medical Journal*, 328:314

Cluett E.R., Using the Evidence to Inform Decisions, in M.D.Raynor, J.E.Marshall, A. Sullivan (2005). *Decision Making in Midwifery Practice*, London: Elsevier, p.37-52

Cluett, E.R., Burns, E.E. (2009), Immersion in water in labour and birth, *Cochrane Database of Systematic Reviews* 2, 1-56.

Coad J., Dunstall M. (2005), Anatomy and physiology for midwives. London:Mosby

Conrad P., (2007). *The Medicalization of Society : On the Transformation of Human Conditions into Treatable Disorders* , Baltimore : The Johns Hopkins University Press

Consortium for Evidence-Based Practice (2004) à <http://www.sciencebasedbirth.com/>

Covington H., (2005). Caring presence: providing a sage space for patients. *Holist Nurs Pract*, 19(4):169-172

Crowter S. et al (2015). Kairos time at the moment of birth , *Midwifery*, 31 : 451-457

Cunningham SC, Sutton ER. (2008). Letter to (fellow) young doctors: more kairos with less chronos. *Surg Innov.*;15(4):324-31.

Cunningham F.G. et al (2010). *Williams Obstetrics*, 23 rd edition , New York : McGraw Hill medical

Dahlen HG., Downe S., Kennedy HP., Foureur M., (2014). Is society being reshaped on a microbiological and epigenetic level by the way women give birth?, *Midwifery* 30:1149-1151

Damasio A.R (2006). *L'erreur de Descartes, La raison des émotions*, Paris: Odile Jacob

Dan, A.J., (1994). *Reframing Women's health: multidisciplinary research and practice*, Thousand Oaks (Calif) : Sage Publications

da Silva FMB, de Oliveira SMJV, Nobre MRC (2009). A randomised controlled trial evaluating the effect of immersion bath on labour pain, *Midwifery* 25(3): 286-294

Davis B., Johnson K., Gaskin I., The MANA Curve: describing plateaus in labour using the MANA database. Abstract no. 30. 26 th Triennial congress, ICM, Vienna in Denis Walsh (2012) second edition, *Evidence and Skills for NORMAL LABOUR AND BIRTH*, New York : Routledge

Davis D., Baddock S., Tchng D., Pairman S., Marion Hunter D., Benn C., Wilson D., Dixon L., Herbison P., (2011). Planned Place of Birth in New Zealand: Does it Affect Mode of Birth and Intervention Rates Among Low-Risk Women? *Birth*, 38:2 June 2011

Davis-Floyd, R.E.(1992). *Birth as an american rite of passage*, Berkely CA : University of California Press

Davis-Floyd R, Sargent CF. (1997). Introduction: the anthropology of birth. In Robbie Davis-Floyd, Carolyn F Sargent, "Childbirth and Authoritative Knowledge: Cross-Cultural Perspectives", (ed). Berkeley: Univ. Calif. Press, pp. 1-51.

Dean K., (2004), "The role of methods in maintaining orthodox beliefs in health research", *Social Science & Medicine* 58: 675-685

De Jonge A., Teunissen T., Lagro-Janssen A., (2004). Supine position compared to other positions during the second stage of labour : a meta-analytic review. *Journal of Psychosomatic Obstetrics & Gynecology*, 25: 35-45

De Koninck, M. (1995). La gestion biomédicale du corps des femmes: un progrès? Dans L. Bouchard & D. Cohen (Éds.), « *Médicalisation et contrôle social* » (pp. 33-42). Montréal: ACFAS.

De Koninck M., (1990). La normalisation de la césarienne, la résultante de rapports femmes-experts, *Anthropologie et Sociétés*, vol. 14, n° 1 : p. 25-41.

Delassus, J-M.,(2005). *Psychanalyse de la naissance*. Coll. « Psychismes ». Paris : Dunod

DeLee J.B., (1920). The Prophylactic Forceps Operation, *Am J Obstet Gynecol* 1920; 1:34-44 in <http://dx.doi.org/10.1067/mob.2002.123205>

de Quincey C., (2005). *Radical Knowing : Understanding Consciousness through Relationship*, Rochester (Vermont) : Park Street Press

Descarries, F., & Corbeil, C. (1994). « Entre discours et pratiques : l'évolution de la pensée féministe sur la maternité depuis 1960 ». *Nouvelles Questions Féministes (N.F.Q)*, 15 (1).

De Valors MH., (2000) Le versant psychique de l'accouchement, à <http://www.nposagesfemmes.org/versant-psychique-de-l'accouchement.html>

Dixon L., Skinner J., Foureur M., (2013). Women's perceptions of the stages and phases of labour, *Midwifery*, 29: 10-17

Douglas M., (1992). *Risk and Blame: Essays in Cultural Theory*, London: Routledge

Dowie A., (2000). *Phronesis* or “practical wisdom” in medical education. *Medical Teacher*, 22 (3): 240-241

Downe S., (2004) Transition and the second stage of labour. In Henderson C., MacDonald S (ed) “*Mayes' midwifery*”, 13 th ed., London: Harcourt Health Sciences, London

Downe S. (2006) “Engaging with the concept of unique normality in childbirth”. *British Journal of Midwifery*; 14 (6):352-356

Downe S, Trent Midwives Research Group, et al (2008). «The early pushing urge: practice and discourse » in Soo Downe S (ed.). Normal childbirth: evidence and debate, 2nd edition. London: Churchill Livingstone: Elsevier. p.129-148

Downe S., Towards a salutogenic Birth in the 21st Century, in Soo Downe & Denis Walsh, ed, (2010), “*Essential Midwifery Practice: Intrapartum Care*”, Oxford: Wiley-Blackwell, pp. 289-295

Downe S, Gyte GM, Dahlen HG, Singata M. (2013), “Routine vaginal examinations for assessing progress of labour to improve outcomes for women and babies at term”. *Cochrane Database Syst Rev*. 2013 Jul 15;7:CD010088. doi: 10.1002/14651858.CD010088.pub2.

Duden, B., (1993) “*Disembodiment women : perspectives on pregnancy and the unborn*”. Cambridge : Harvard University Press

- Duff, M. (2005). *A Study of Labour*. Thèse de doctorat, non publiée, University of Technology. Sydney.
- Dunham C., & al., (1991), “*Mamatoto : a celebration of birth*”, London: Virago Press
- Edmonston R., & Pearce J.,(2007) “The practice of health care: wisdom as a model”, *Med Health Care Philos*, 10 (3): 233-244
- Edwards N.P. (2001) Women’s experiences of planning home births in Scotland. Thèse de doctorat (non publiée) Université de Sheffield, Sheffield, UK
- Ehrenreich, B., & English D.,(1982) « *Des experts et des femmes* », Québec : éd. du Remue-ménage
- Enkin M., Keirse J., Neilson C., Crowther L., Duley E., Hodnett H., Hofmeyr J., (2000), “*A Guide to Effective Care in Pregnancy and Childbirth*”, 3rd ed. Oxford: Oxford University Press.
- Eri T., Blystad A., Gjengendal E., Blaaka G., (2010), “Negotiating credibility: first time mothers’ experiences of contact with the labour ward before hospitalisation”. *Midwifery*, 26 (6):e25-e30
- Ermann K., Ponsford M., Spence H., and Wright S., (2014) “The discourse of benevolent paternalism in the introduction to The Baby Book”, *Feminism & Psychology*, Vol. 24(4) 542-549
- Fannin M., (2003), “Domesticating birth in the hospital: “Family centred” birth and the emergence of “homelike” birthing rooms”, *Antipode* 35(3):513-535
- Fahy K., Foureur M., Hastie C.,(ed) (2008), “*Birth territory and Midwifery Guardianship : Theory for Practice, Education and Research*”. London: Books for Midwives, Elsevier
- Feldman, R., Weller, A., Zagoory-Sharon, O., & Levine, A. (2007). “Evidence for a neuroendocrinological foundation of human affiliation: Plasma oxytocin levels across pregnancy and the postpartum period predict mother-infant bonding”. *Psychological Science*, 18, 965-970.
- Flemming, V. (1998). “Women-with-midwives-with-women: a model of interdependence”. *Midwifery*, 14, 137-143.
- Forde C., Creighton S., Batty A et al (1999), “Labour and delivery in the birthing pool”, *British Journal of Midwifery*, 7 (3): 165-171
- Førde O.H., (1998), “Is imposing risk awareness cultural imperialism?”, *Social Science & Medicine*, Volume 47, Issue 9, nov; p.1155–1159

- Foucault M., (1975), « *Naissance de la clinique* », Paris: PUF
- Foucault M., (1994) *La volonté de savoir. Histoire de la sexualité, t.1*, Paris: Tel/Gallimard.
- Fox Keller, E., Longino, H., (eds). (1996). “*Feminism and science*”. Oxford: Oxford University Press.
- Fox M., (1989) « Unreliable Allies : Subjective and Objective Time in Childbirth » in F.J Forman and C. Sowton (eds), *Taking our time : Feminist Perspective on Temporality*. Oxford : Pergamon, pp. 123-134
- Frances A., (2013). *SAVING NORMAL_ An Insider's Revolt Against Out-of-Control Psychiatric Diagnosis, DSM-5, Big Pharma, and the Medicalization of Ordinary Life*, Harper Collins Publishers
- Fraser D.M., Cooper M.A. (ed) (2014), “*Myles Textbook for Midwives*”, sixteenth edition, London: Churchill Livingstone
- Freeman LM¹, Adair V, Timperley H, West SH.(2006) The influence of the birthplace and models of care on midwifery practice for the management of women in labour. *Women Birth*. Dec;19(4):97-105
- Friere, P. (1983). « *Pédagogie des opprimés suivi de Conscientisation et Révolution* ». Paris: La découverte/Maspero.
- Gagnon A.J., Meier K.M., Waghorn K.' (2007), “Continuity of nursing care and its link to caesarean birth rate”. *Birth: Issues in Perinatal Care*, 34(1), 26-31
- Garland D (2010), “*Revisiting Waterbirth: An attitude to care*”. Basingstoke, Hampshire : Palgrave Macmillan
- Gaudin P., (2010) « Lénigme de la naissance entre philosophie et monothéismes » in René Frydman et Myriam Szejer (ed) *La naissance : Histoire, cultures et pratiques d'aujourd'hui*, Paris : Albin Michel. p.11-25
- Geary D., Flinn M., (2002) “Sex differences in behavioral and hormonal response to social threat: Commentary on Taylor et al 2000”. *Psychological Review* 109: 745-750
- Geissbuehler V, Stein S, Eberhard J. (2004) “Waterbirths compared with landbirths: an observational study of nine years”, *J Perinat Med.*; 32(4):308-14.
- Gell-Mann M. (1994) “*The quark and the Jaguar: adventures in the simple and the complex*”, New York: W.H. Freedman & co

Ginesi & Niescierowicz (1998), "Neuroendocrinology and Birth 1: Stress", *British Journal of Midwifery*, 6 (10), 659-663

Girard L., (2011) « De la première rencontre à la première tétée : Observer l'intimité », *Les Dossiers de l'Obstétrique*, no 409

Giving birth and being born (1999) DVD, Berghammer Karin & University Clinic Vienna/Regine Ahner , à

Goldsmith J., (1990) "Childbirth wisdom", Brockline, Mass: East West health Books

Goodman S., (2008), A Dirty Dozen: Twelve P-Value Misconceptions, *Semin Hematol*, 45:135-140

Grattan DR. (2001) "The actions of prolactin in the brain during pregnancy and lactation". *Prog Brain Res*;133:153-71

Green B., (2000). L'Univers élégant. Paris: Robert Laffont

Greenhalgh, T. (2002) « Intuition and evidence – uneasy bedfellows? » *The British Journal of General Practice*, 52 (478), 395–400

Greulich B., Tarrant B., (2010), "The latent phase of labour: Diagnosis and Management", *Journal of Midwifery & Women's Health*, 52 (3) , pp. 190–198

Grobstein P., (2005) "Revisiting Science in Culture: Science as Story Telling and Story Revising, *Journal of Research Practice*, Volume 1, Issue 1, Article M1 à <http://jrp.icaap.org/content/v1.1/grobstein.html>

Gross M., Haunschild T., Stoexen T., Methner V., Guenter H.,(2003), "Women's recognition of the spontaneous onset of labour". *Birth*, 30 (4): 267-71

Gupta JK, Hofmeyr GJ, Shehmar M., (2012) "Position in the second stage of labour for women without epidural anaesthesia". *Cochrane Database of Systematic Reviews* 2012, Issue 5.

Gutteridge K., (2010) Transition into Parenthood: Ideology and Reality, in Sheena Byrom, Grace Edwards, Debra Bick (ed), "Essential Midwifery Practice: Postnatal Care", London: Blackwell Publishing Ltd

Guyatt, G. Rennie, D. Meade, MO, Cook, DJ. (2015), *Users' Guide to Medical Literature: A Manual for Evidence-Based Clinical Practice*, 3rd Ed, JAMA Network, McGraw_Hill Education

- Haar, M. (1985). « *Le chant de la terre: Heidegger et les assises de l'histoire de l'être.* » Paris: L'Herne.
- Hall, J. (2006). “Spirituality at the beginning of life”. *Journal of Clinical Nursing*, 15, 804-810.
- Hall J., (2010) Spirituality and Labour Care, in Denis Walsh & Soo Downe, “*Essential Midwifery Practice: Intrapartum Care*”, London: Blackwell Publishing Ltd. p. 235-251
- Hammond A., Foureur M., Homer C. Davis D., (2013) “Space, place and the midwife: Exploring the relationship between the birth environment, neurobiology and midwifery practice”, *Women and Birth*, 26: 277-281
- Harper LM, et al. (2012) “Normal progress of induced labor”. *Obstet Gynecol*. June 2012; 119(6):1113-1118.
- Hauck Y, Rivers C, Doherty K. (2008) “Women's experiences of using a Snoezelen room during labour in Western Australia”. *Midwifery*, Dec; 24(4):460-70.
- Hays S., (1996) “The Cultural Contradictions of Motherhood”, London: Yale University Press
- Healy D., (2004). *LET THEM EAT PROZAC_ The Unhealthy Relationship between the Pharmaceutical Industry and Depression*. New York: New York University Press
- Healy D., (2012) *Pharmageddon*, Berkeley: University of California Press
- Hickey S., Roberts H., (2011) “*Tarnished Gold: The Sickness of Evidence-based Medicine*”, Create Space.
- Hirst, C. (2005). « *Rebirthing: Report of the review of maternity services in Queensland* ». Brisbane, Australia: Queensland Health, Queensland Government.
- Hobbs L., (1998), “Assessing cervical dilatation without VEs”. *The practising Midwife*, 1(11): 34-35
- Hodnett E. D., Stremler R., Weston JA., McKeever P., (2009), “Re-conceptualizing the hospital labor room: The PLACE (Pregnant and Laboring in an Ambient Clinical Environment) pilot trial”. *Birth*, 36(2), 159-166.
- Hodnett ED., Downe S., Walsh D., (2012), “Alternative versus conventional institutional settings for birth (Review)”, *The Cochrane Library*, Issue 8

Hofmann, B. (2002). "Is there a technological imperative in health care?" *International Journal of Technology Assessment in Health Care*, 18, (3), 675–689.

Holmes P., Oppenheimer L., Wen SW., (2001), "The relationship between cervical dilatation at initial presentation in labour and subsequent intervention", *British Journal of Obstetrics and Gynaecology*, 108 , pp. 1120-1124

"Hormones Driving Labor and Birth" à
www.childbirthconnexion.org/article.asp?ck=10184

Hrdy S.B. (1999), " *Mother Nature: A History of Mothers, Infants, and Natural Selection*", New York: Pantheon Books

Human Microbiome Project_HMP à <http://hmpdacc.org/>

Humbert N., (1989). *La douleur : un cri du corps et de l'âme*, Neuchâtel : Victor Attinger

Hunter, L. P. (2008). A hermeneutic phenomenological analysis of midwives' ways of knowing during childbirth. *Midwifery*, 24(4): 405-415

Hunter, M. (2003). Autonomy, clinical freedom and responsibility. In M. Kirkham (Ed.), " *Birth centers: A social model for maternity care*" (pp. 239-248). London: Books for Midwives.

Hutton EK, Hassan ES.(2007). Late vs Early Clamping of the Umbilical Cord in Full-term Neonates: Systematic Review and Meta-analysis of Controlled Trials. *JAMA*. 297(11):1241-1252. doi:10.1001/jama.297.11.1241

Ibone Olza F., Marín G., Martínez AM., Fernández-Cañadas A. et al. (2012). Newborn feeding behaviour depressed by intrapartum oxytocin: a pilot study, *Acta Pædiatrica*, 101: 749-754

Illich I., (1975). *Némésis médicale*, Paris : Seuil, coll. « Techno-critique »,

International Mother Baby Childbirth Initiative (IMBCI) à
http://imbco.weebly.com/uploads/8/0/2/6/8026178/imbci_french.pdf

INESSS, (Institut national d'excellence en santé et en services sociaux) (2012), « Mesures prometteuses pour diminuer les interventions obstétricales évitables pour les femmes à faible risque ». ETMIS; vol 8: no 14 à https://www.inesss.qc.ca/fileadmin/doc/INESSS/Rapports/ObstetriqueGynecologie/ETMIS_2012_Vol8_No14.pdf

Jacobus, M., Fox Keller E., Shuttleworth S.,(1990). *Body politics : women and the discourses of science*, London : Routledge.

Janni W, Schiessl B, Peschers U, (2002). The prognostic impact of a prolonged second stage of labor on maternal and fetal outcome. *Acta Obstet Gynecol Scand*. Mar 81(3):214-21.

Jimenez V., in ASPQ_association pour la santé publique du Québec (2005). *Perspectives sur les réalités de la naissance : échos d'une conférence*, Montréal, Québec. p.7

Johnson, L.H.(1997). *Childbirth as a milestone*, Childbirth as a developmental milestone thèse de doctorat in Women's Studies ,The union Graduate School, Cincinnati, Ohio

Jones R.K., (2004). Introduction to: Heresy and orthodoxy in medical theory and research. Editorial. *Social Science & Medicine*, 58: 671-674

Jowitt M., (1993). *Childbirth Unmasked*. Peter Wooller (ed)

Jowitt M., (2015) The Myth of Fundal Dominance. *Midwifery Matters* (145) 7-9

Kahn, R.P.(1995). *Bearing meaning : the language of birth*, Urbana : University of Illinois Press

Kane Low L.K., Moffat A., (2006). Every labor is unique: but "call when your contractions are 3 minutes apart" *The American Journal of Maternal/Child Nursing* 31(5):307

Karraa W., (2015). *Transformed by Postpartum Depression : Women's Stories of Trauma and Growth*, Amarillo (TX) :Praeclarus Press

Kennedy HP., and M.T. Shannon. (2004). Keeping Birth Normal: Research Findings on Midwifery Care during Childbirth. *Journal of Obstetric, Gynecologic, & Neonatal Nursing* 33(5):554–60.

Kennedy HP., Anderson T., Leap N., Midwifery Presence: Philosophy, Science and Art, in Denis Walsh et Soo Downe,(ed) (2010) Essential Midwifery Practice: Intrapartum Care, pp 105-123

Kilpatrick SJ, Laros RK Jr., (1989). Characteristics of normal labor. *Obstet Gynecol*. 74(1):85-7.

Kitzinger S., (2000). *Rediscovering Birth*. London: Little Brown and Company

Kjærgaard, H., Olsen, J., Ottesen, B., Nyberg, P., Dykes, A.K., (2008). "Obstetric risk indicators for labour dystocia in nulliparous women: a multi-centre cohort study". *BMC Pregnancy and Childbirth* 8, 45, <http://dx.doi.org/10.1186/1471-2393-8-45>.

Klassen, P.E., (2001). Sacred Maternities and Postbiomedical Bodies : Religion and Nature in Contemporary Home Birth, *Signs*, vol. 26, no.3, p.775-809.

Lagercrantz H, Slotkin TA.,(1986). The "stress" of being born. *Sci Am.*; 254(4):100-7.

Lamarche G., (2013) « Les voies de savoir non-rationnelles dans le processus de prise de décision clinique en pratique sage-femme », Activité de synthèse en pratique sage-femme, Bac en pratique sage-femme, UQTR

Lansac J., Marret H., Oury JF., (éd) (2006). *Pratique de l'Accouchement*, 4e édition, Paris: Masson

Lavelle, L. (2005). *La parole et l'écriture*. Paris: édition du Félin

Lavender T., Alfirevic A, Walkinshaw S., (2006). Effects of different partogram action lines on birth outcome: a randomized controlled trial. *Obstetrics & Gynecology*, 108 (2): 295-302

Lavender T., Hart A., Smyth RM., (2013). Effect of partogram use on outcomes for women in spontaneous labour at term. *Cochrane Database Syst Rev*. 2013 Jul 10; 7: CD005461. doi: 10.1002/14651858.CD005461.pub4.

Law, J. (2000). The politics of breastfeeding: assessing risks, dividing labor. *Signs*, 25 (2), 407-45

Lawrence A., Lewis L., Hofmeyr J., et al. (2009). Maternal positions and mobility during first stage of labour. *Cochrane Systematic Reviews*, Issue 4

Leder D., (1992), « A tale of two bodies : the Cartesian corpse and the lived body » in Drew Leder (ed) « *The Body in Medical Thought and Practice* », Bruxelles :Kluwer, pp. 17-35

Lee HJ. , Macbeth AH, Pagani J., Scott Young, 3rd W., (2009). Oxytocin: the Great Facilitator of Life, *Prog Neurobiol*. Jun 2009; 88(2): 127–151.

Lemay, C. (1998). *L'accouchement à la maison au Québec : les voix du dedans*. Mémoire de maîtrise en anthropologie (non publié), Université de Montréal.

Lemay C., (2007). « *Être là* » : étude du phénomène de la pratique sage-femme au Québec dans les années 1970-1980 », thèse de doctorat, Sciences Humaines Appliquées, (non publié), Université de Montréal

Lemos A., Dean E., Andrade A.D., (2011), "The Valsalva maneuver duration during labor expulsive stage: repercussions on the maternal and neonatal birth condition". *Rev. bras. fisioter.* [online]. 2011, vol.15, n.1, pp. 66-72. <http://dx.doi.org/10.1590/S1413-35552011000100012>.

Leng G., Meddle SL, Douglas AJ, (2008). Oxytocin and the maternal brain, *Current Opinion in Pharmacology*, 8 (6) december: 731-734

Lepori B., Foureur M., Hastie C., « Mindbodyspirit architecture : Creating birth space », in Kathleen Fahy, Marilyn Foureur et Carolyn Hastie, éd (2008) *Birth and Midwifery Guardianship*, London: Books for Midwives, pp. 95-112

Lévesque, C. (1976). *L'étrangeté du texte*. Québec: VLB.

Levin C., (1992). Entre la chair et l'esprit: le corps social du nouveau-né. *Sociologie et sociétés*, 24 (1): 67-79

Lewis, Megan J., (2012). An Investigation of the Effects of Pitocin for Labor Induction and Augmentation on Breastfeeding Success, *Scripps Senior Theses*. Paper 109. http://scholarship.claremont.edu/scripps_theses/109

Linhaires, C.H., (2012). The lived experiences of midwives with spirituality in childbirth: mana from heaven . *J. Midwifery Women's Health* 57, 165–171.

Lock, M., & Kaufert, P. A. (1998). *Pragmatic women and body politics*. Cambridge: Cambridge University Press.

Lothian J., (2004). Do Not Disturb: The Importance of Privacy in Labor, *The Journal of Perinatal Education*, 13 (3), 4-6

Lozoff B., Jordan B., Malone S., (1988). "Childbirth in Cross-Cultural Perspective", in Rob Palkovitz & Marvin Sussman (ed), *Marriage and Family Review*, 12:3/4, p.35-60

Lundgren, I., et al. (1996). "Women's experience of the encounter with the midwife during childbirth". *Midwifery*, 12, 11-15.

Lupton, Deborah, « Foucault and the medicalisation critique », in Alan Petersen, Robin Benton (1997). *Foucault, Health & Medicine*, New York : Routledge, p.94-109.

Lynn J., Straube BM., Bell KM., Jencks SF., Kambic RT., (2007). Using Population Segmentation to Provide Better Health Care for All: The "Bridges to Health" Model. *The Milbank Quarterly* 85(2):185–208.

Making Normal Birth a reality (2007). Royal College of Midwives, Royal College of Obstetricians and Gynaecologists, à
<https://www.rcm.org.uk/sites/default/files/NormalBirthConsensusStatement.pdf>

Maffesoli M., (2000). "L'instant éternel _ le retour du tragique dans les sociétés postmodernes", Paris: La Table Ronde

Malherbe J.-F., (2001). *Déjouer l'interdit de penser_Essais d'éthique critique*, Montréal : Liber

Malherbe J-F., (2003). *Les ruses de la violence dans les arts du soin : essai d'éthique critique II*, Montréal : Liber

Malherbe, J.-F. (2006). *Les crises de l'incertitude*, Montréal : Liber

Malherbe, J.F., (2007), *Sujet de vie ou objet de soins ? Introduction à la pratique de l'éthique clinique*. Montréal, Éditions Fides

Mant D. (1999). Can randomised trials inform clinical decisions about individual patients ?, *Lancet*, 353: 743-6.

Marshall, H.,and Woollett A.,(2000). Fit to Reproduce ? The Regulative of Pregnancy Texts , *Feminism & Psychology*, Vol.10 (3): 351-366.

Martin E., (1989) *The woman in the body: a cultural analysis of reproduction*, Boston: Beacon Press

Martin C., (2003). «Hypothèse: Préconiser la transdisciplinarité , *Le médecin de famille canadien*, juillet 2003

Martine J., (2002). Enfantement, allaitement, féminisme, troisième version, à <http://joel.martine.free.fr>

Matthiesen AS, Ransjö-Arvidson AB, Nissen E, Uvnäs-Moberg K. (2001). Postpartum maternal oxytocin release by newborns: effects of infant hand massage and sucking, *Birth*, 28(1):13-19

Mauger B, (2006). Birth as a soul experience, à <http://www.soul-connexions.com/pages/articles.php>

McBride A.B., (1973). *The Growth and Development of Mothers*, New York : Harper & Row

McDonald S., Middleton P., (2008). Effect of timing of umbilical cord clamping of term infants on maternal and neonatal outcomes. *Cochrane database of Systematic Reviews*, Issue 2

McDonald G., (2010). Diagnosing the latent phase of labour: use of the partogram, *British Journal of Midwifery*, Vol. 18 (10): 630 - 637

McGrath, P., (1997). Putting Spirituality on the Agenda ,*The Hospice Journal*,12:4,1-14

McGrath, P., (1997). *A Question of Choice_ Bioethical Reflections on a Spiritual Response to the Technological Imperative.* Brookfield (VT) : Ashgate Publishing Company

McMahon, Martha (1995). *Engendering motherhood: identity and self-transformation in women's lives*, New York : Guilford Press

McNeil, A. & Jomeen, J. (2010). "Gezellig": a concept for managing pain during labour and Childbirth, *British Journal of Midwifery* 18(8), 515-520

Mead M., Kornbrot D., (2004). The influence of maternity units' intrapartum intervention rates and midwives' risk perception for women suitable for midwifery-led care, *Midwifery* ; 20, 61-71

Mellier et al. (2008). Observer un bébé, un soin, coll. 1001 bébés, Paris: ERES

Menticoglou SM, Manning F., Harman C., et al. (2005), Perinatal outcome in relation to second-stage duration. *Am J Obstet Gynecol.*, 173 (3 Pt 1):906-12

Mercer J., Erikson-Owens D., (2010). Evidence for Neonatal Transition and the First Hour of Life, in Denis Walsh, Soo Downe, (ed), "*Essential Midwifery Practice: Intrapartum Care*", London: Bralckwell Publishing Ltd. pp. 81-100

Mercer J., Skovgaard R., (2002). Neonatal transitional physiology: a new paradigm. *Journal of Perinatal and Neonatal Nursing*, 15(4): 56-75

Merchant C., (1990). *The Death of Nature: Women, Ecology, and the Scientific Revolution*, (second ed), San Francisco: Harper and Row

Merger R., Levy J., Melchior J., (1989). *Précis d'obstétrique*, Paris : Masson

Merleau-Ponty M., (1979), *Phénoménologie de la perception*, Paris : Gallimard

Meslin M., (2010). L'origine de l'humain dans certaines sociétés traditionnelles in René Frydman et Myriam Szejer (ed) « *La naissance : Histoire, cultures et pratiques d'aujourd'hui* », Paris : Albin Michel p.34-38

Miller S., Skinner J., (2012). Are First-Time Mothers Who Plan Home Birth More Likely to Receive Evidence-Based Care? A Comparative Study of Home and Hospital Care Provided by the Same Midwives, *Birth*, 39: 135- 144

Moloney S., (2007). Dancing with the wind : A methodological approach to researching women's spirituality around menstruation and birth. *International Journal of Qualitative Methods*, 6 (1), article 7 à http://www.ualberta.ca/~iijm/backissues/6_1/moloney.htm

Moloney S., et Gair., S., (2015) Empathy and spiritual care in midwifery practice : Contributing to women's enhance birth experiences. *Women and Birth*, Dec;28(4):323-8

Morin E, (1990). *Introduction à la pensée complexe*, Paris: E.S.F

Morris DV., (1991). *The Culture of Pain*. Berkeley: University of California Press

Morse J., (2005). Decontextualized Care_editorial, *Qualitative Health Research*, 15 (2) :143-144

Moyinihan R., et Cassels A., (2005). *Selling Sickness_ How the World's Biggest pharmaceutical Companies Are Turning Us All into Patients*, New York : Nation Books

Murphrey-Lawless J., (1998). *Reading birth and death: A History of Obstetric, Thinking*, Indianapolis: Indiana University Press.

Myles TD, Santolaya J., (2003). Maternal and neonatal outcomes in patients with a prolonged second stage of labor. *Obstet Gynecol.*;102(1):52-8.

NCT, Mary Newburn, Debbie Singh (2005). "Are women getting the birth environment they need?" - Report of a national survey of women's experiences, in https://www.nct.org.uk/sites/default/files/related_documents/Are_women_getting_the_birth_environment_they_need.pdf

Neal JL. et al. (2010). "What is the slowest-yet-normal cervical dilation rate among nulliparous women with spontaneous labour onset?" *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 39: 361-9

Neal JL., et Lowe NK., (2012). Physiologic partograph to improve birth safety and outcomes among low-risk, nulliparous women with spontaneous labor onset. *Medical Hypotheses*, 78: 319-326

Ness A. et al, (2005), "Abnormalities of the First and Second Stages of Labor", *Obstet Gynecol Clin N Am*; 32 : 201-220

Newburn M., Singh D., (2003), "Creating a Better Birth Environment: Women's views about the design and facilities in maternity units: a national survey", The National Childbirth Trust, London à [http://www.nct.org.uk/sites/default/files/related_documents/2003%20report%20-%20no%20photos%20%20\(13%20Aug%202003\)-1_0.pdf](http://www.nct.org.uk/sites/default/files/related_documents/2003%20report%20-%20no%20photos%20%20(13%20Aug%202003)-1_0.pdf)

NICE (National Institute for Health and Clinical Excellence), 2014, "Intrapartum Care: care for healthy women and their Babies during Childbirth, CG 190, à <http://www.nice.org.uk/guidance/cg190/resources/intrapartum-care-for-healthy-women-and-babies-35109866447557>

NZCOM (New Zealand College of Midwives) (2013), Consensus statement Facilitating the birth of the Placenta. À <https://www.midwife.org.nz/search?q=third+stage>

Oakley A., (1986). *"The captured womb: a history of the medical care of pregnant women"*. New York, N.Y.: B. Blackwell

Odent M. (1990) Votre bébé est le plus beau des mammifères, Paris: Albin Michel

Odent M. (2001). "New Reasons and New Ways to Study Birth Physiology". *International Journal of Gynecology and Obstetrics* 75(suppl. 1):S39-S45.

Odent M., (2002), "The first hour after the birth: don't Wake the Mother", *Midwifery Today*, Issue 61, Spring 2002

Olafsdottir O.A., Kirkham M., "Narrative Time: Stories, Childbirth and Midwifery" in C. McCourt (2009), *Childbirth, Midwifery and Concepts of Time*, New York: Berghahn Books, p.167-184

OMS (2003) « Stratégie mondiale pour l'alimentation du nourrisson et du jeune enfant », Genève : Organisation Mondiale de la Santé

Oscarson M., Amer-Wahlin I., Rydhstroem H., Kallen K., (2006), "Outcome in obstetrics care related to oxytocin use: a population-based study". *Acta Obstetrics et Gynaecologica*, 85(9):1094-8

Otto R., (1995) *Le Sacré*, Paris : Payot, Petite Bibliothèque

Ouellet P.,(2003), *Le sens de l'autre : éthique et esthétique*, Montréal : Liber

Page L, McCourt C., Beake S., Vail A.J Hewison J., (1999) "Clinical interventions and outcomes of One-to-One midwifery practice", *J Public Health*, 21 (3): 243-248.doi: 10.1093/pubmed/21.3.243

- Parker R., « The production and purposes of maternal ambivalence » in Wendy Holluray and Brid Featherstone, (ed) (1997), *Mothering and Ambivalence*, London : Routledge, p.17-36.
- Parratt J.A., Fahy K.M. (2008) « Including the *nonrational* is sensible midwifery”, *Women and Birth*, 21, 37-42
- Payer L (1992) « *Disease-mongers: How doctors, drug companies, and insurers are making you feel sick* ». New York: Wiley & Sons.
- Pel, M., et al.,(1995), “Provider-associated factors in obstetric interventions”, *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 61,129-134
- Peretti-Watel P., (2010), *La société du risque*, Paris : La Découverte
- Petit L., “ Partition de la naissance_ Du Clos à l’Ouvert, de l’Obscur à la Lumière” in Michel Dugnat et al, (1997) “Grossesse et naissance: le passage”, coll. Mille et un bébés, Toulouse: érès, p.33-50
- Pope, C. (2003) “Resisting evidence: the study of evidence-based medicine as a contemporary social movement”. *An Interdisciplinary Journal for the Social Study of Health, Illness and Medicine*, 7(3): 267-282.
- Portela A, Esteller M. (2010) “Epigenetic modifications and human disease”. *Nat Biotechnol*, 28:1057-68
- Power M., & Schulkin J., (2005) “*Birth, Distress and Disease: Placenta-Brain Interactions*”, Cambridge: Cambridge University Press
- Privette Y., (1983) « Peak Experience, Peak Performance, and Flow: A Comparative Analysis of Positive Human Experiences » *Journal of Personality and Social Psychology* Vol. 45, No. 6, 1361-1368
- Probyn, E. (1992). « Corps féminin, soi féministe : Le dédoublement de l’énonciation sociologique ». *Sociologies et sociétés*, XXIV, (1),33-45.
- Proulx, C. (2005). « *Filles de Déméter : Le pouvoir initiatique de la maternité* ». Sherbrooke: Éditions GGC.
- Quéniart Anne (1988) « *Le corps paradoxal* », Montréal : éd. Saint-Martin
- Quéniart A.,(1989) « Le traitement médical de la maternité : morcellement du corps, effacement des femmes », in Colette Gendron, Micheline Beauregard, *L’avenir-santé au féminin*, Boucherville : Gaëtan Morin éditeur, p.66-81

Rabuzzi KA., (1994), "Mother with Child: Transformation through Chilbirth", Indianapolis: Indiana University Press

Ranzduel, R. (1999). *Dialectique et savoir systémique*. Paris: Peter Lang.

Ratcliff, K.S.(2002), *Women and Health. Power, Technology, Inequality and conflict in a gendered world*, Boston : Allyn and Bacon

Raphael D., (1976) "The tender Gift: Breastfeeding: Mothering the mother", Knopf Doubleday Publishing Group

Reed R., (2010) The Effective Labour Contraction, à <http://midwifethinking.com/2010/08/18/the-effective-labour-contraction/>

Reed R., (2010), Stages of Labour and Collusion, à <http://midwifethinking.com/2010/12/22/stages-of-labour-and-collusion/>

Renaud, M., « Le concept de médicalisation a-t-il toujours la même pertinence ? » in Médicalisation et contrôle social, coll. *Les cahiers scientifiques*, Montréal, ACFAS éd. 1995, p.167-173

Rich A., (1980), *Naître d'une femme, la maternité en tant qu'expérience et institution*, Paris : Denoël-Gonthier

Ricoeur, P. (1986). *Du texte à l'action : essais d'herméneutique II*. Paris: Seuil

Ricœur, P. (2000). *La mémoire, l'histoire, l'oubli*. Paris: Seuil.

Rivard A., (2010) L'enfantement dans un Québec moderne: générations, mémoires et histoire. Thèse de doctorat, Faculté d'Histoire, Université Laval, à www.theses.ulaval.ca/2010/27368/27368.pdf

Roberts J., Lisa Hanson L., (2007) , "Best Practices in Second Stage Labor Care: Maternal Bearing Down and Positioning", *Journal of Midwifery & Women's Health*, Volume 52, Issue 3, May–June: 238-245

Rodriguez-Cortez VC et al (2011) "Epigenomic deregulation in the immune system". *Epigenomics*, 3:697–713.

Romano C., (1998) L'événement et le monde, Paris: PUF

Romano AM., Lothian JA., (2008), "Promoting, Protecting, and Supporting Normal Birth: A look at the Evidence". *JOGNN*, 37: 95-105

Romito, P.,(1992) « L'accouchement : revendications des femmes et idéologie de la différence », *N.Q.F* , vol. 13 no1: 63-85

- Rossi P., (2002/3) "Eclosion du matriciel, expérience du féminin », *Dialogue*, no 157:51-58
- Rothman, B. K. (1989). "*Recreating motherhood: ideology and technology in a patriarchal society*". New York: Norton.
- Rothman B.K (1994) The Tentative Pregnancy: Amniocentesis and the Sexual Politics of Motherhood, New York:Pandora
- Royal College of Midwives (2008) "Normal Birth: maximizing normality through pregnancy" _ à <http://www.rcmnormalbirth.org.uk/>
- Royal College of Obstetricians and Gynaecologists/Royal College of Midwives (RCOG/RCM). (2006). '*Immersion in water during labour and birth*'. London: Royal College of Obstetricians and Gynaecologists and Royal College of Midwives
- Royal College of Obstetricians and Gynaecologists (RCOG), (2015) "*Physiological Birth: Promoting Normality: Making the transition from an industrialised model of maternity care to a social model of birth*", 11th September 2015, à <https://www.regonline.com/builder/site/tab1.aspx?EventID=1710149>
- Royal College of Midwives , Campaign for Normal Birth, (2007), in <http://www.rcmnormalbirth.org.uk/ten-top-tips/>
- Sackett DL & al., (1996), « *Evidence based medicine: what it is and what it isn't* », *BMJ*, vol. 312, n° 7023, p. 71-72
- Sackett DL, Straus SE, Richardson WS, Rosenberg W, Haynes RB (2002) "Evidence Based Medicine. How to Practice and Teach EBM". Edinburgh, Churchill Livingstone
- Saint-Amant S., (2013) « *Déconstruire l'accouchement : épistémologie de la naissance, entre expérience féminine, phénomène biologique et praxis technomédicale* », Thèse de doctorat : Sémiologie, Université du Québec à Montréal
- Saillant F., O'Neill M., (1987), « *Accoucher autrement: repères historiques, sociaux et culturels de la grossesse et de l'accouchement au Québec* », Montréal : Ed Saint-Martin
- Sakala C, Newburn M., (2014) "Meeting needs of childbearing women and newborn infants through strengthened midwifery", *The Lancet*, Publié en ligne, 23 juin 2014, [http://dx.doi.org/10.1016/S0140-6736\(14\)60856-4](http://dx.doi.org/10.1016/S0140-6736(14)60856-4)

Sampselle CM., Miller JM., Luecha Y., Fischer K., Rosten L., (2005). "Provider support of spontaneous pushing during the second stage of labor". *JOGNN*, 34(6), 695-702

Saunders N., Paterson C., Wadsworth J., (1992) "Neonatal and maternal morbidity in relation to the length of the second stage of labour". *British Journal of Obstetrics and Gynaecology*, 99 (5): 381-385

Savard G., (2001-2002), « La médecine factuelle : entre la vérité et les dogmes », Mémoire de maîtrise, Sciences biologiques et médicales, Université René Descartes, Paris

Schiff M., (2003) « *La science aveugle : comment résister aux marchands d'illusions biomédicales?* », Paris : Sang de la Terre

Schmid V., (2011) "Birth pain- explaining sensations, exploring possibilities"-,2e éd, London: FreshHearth Publishing

Schmid V., Downe S., Midwifery Skills for Normalising Unusual Labours in Denis Walsh and Soo Downe (ed), (2010), "Essential Midwifery Practice: Intrapartum Care", London: Blackwell Publishing. pp. 159-190

Schwartz J.A., (2014) « Childbirth as a Profound Experience : exploring Narratives and image of Experiences during Birth », PhD Thesis (non publié), Transformative Studies, California Institute of Integral Studies

Selin, L., Wallin, G., Berg, M., (2008). "Dystocia in labour—risk factors, management and outcome:a retrospective observational study in a Swedish setting". *Acta Obstetricia et Gynecologica Scandinavica* 87, 216-221.

Sellman, D. (2009), « Practical wisdom in health and social care: teaching for professional phronesis ». *Learning in Health and Social Care*, 8: 84-91

Sharkley J.T., et al (2009) "Melatonin Synergizes with Oxytocin to Enhance Contractility of Human Myometrial Smooth Muscle Cells". *J Clin Endocrinol Metab*, February, 94(2): 421- 427

Shaw-Battista J., (2009) "Optimal Outcomes of Labor and Birth in Water Compared to Standard Maternity Care", Thèse de Doctorat , Nursing , University of California, San Francisco à <http://search.proquest.com/docview/304858948>

Shepherd A., Cheyne H., Kennedy S., McIntosh C., Styles M., Niven C., (2010) "The purple line as a measure of labour progress: a longitudinal study", *BMC Pregnancy and Childbirth*, 10: 54, à <http://www.biomedcentral.com/1471-2393/10/54>

Sherblom Matteson P, (2001) "Womens health during the child bearing years: A community based approach", New York: Mosby publishers

Shur Bilchuk G., (2002), "A better place to heal". *Health Forum Journal*, July/August: 10-15

Siddiqui J., (2005), "The role of Knowledge in Midwifery Decision Making" in M.D.Raynor, J.E.Marshall, A. Sullivan, *Decision Making in Midwifery Practice*, London: Elsevier, p.23-35

Simkin, P. (1991), Just Another Day in a Woman's Life? Women's Long-Term Perceptions of Their First Birth Experience. Part I. Birth, 18: 203-210. doi: 10.1111/j.1523-536X.1991.tb00103.x

Simkin, P. (1992), Just Another Day in a Woman's Life? Part II: Nature and Consistency of Women's Long-Term Memories of Their First Birth Experiences. Birth, 19: 64-81. doi: 10.1111/j.1523-536X.1992.tb00382.x

Simkin P., (1996) "The Experience of Maternity in a Woman's Life", *JOGNN*, 25, 247-252;

Simonds, W., 2002. « Watching the clock: Keeping time during pregnancy, birth, and postpartum experiences ». *Social Science and Medicine* 55, no. 4: 559-70.

Simonds W., Katz Rothman B., Norman B., et al, (2007), *Laboring on. Birth in Transition in the United States*, New York: Routledge

Skolbekken J.A. (1995), "The risk epidemic in medical journals", *Social Science & Medicine*, Vol 40, Issue 3, Feb, p.291–305

Sloterdijk P., (2002), « *Bulles Sphères 1* », Paris: Pauvert, 2002

Smith et al (2012), "Risk in maternity care: a concept analysis", *International Journal of Childbirth*, 2: pp. 126-135

Smith V.,Daly,D.,Lundgren,I.,Eri,T.,Benstoem,C.,Devane,D.,(2014)
."Salutogenically focused outcomes in systematic reviews of intrapartum interventions:a systematic review of systematic reviews". *Midwifery*, 30,e151–e156.

SOGC, (2009) « Prise en charge active du troisième stade du travail : Prévention et prise en charge de l'hémorragie postpartum », *JOGC*, novembre 2009

Soltani H., Hutchon DR., Poulose TA., (2010), "The timing of prophylactic uterotronics for the third stage of labour after vaginal birth (Review)", *The Cochrane Library*, Issue 8

Sookhoo M., Biott C., (2002) "Learning at work: midwives judging progress in labour". *Learning in Health and Social Care*. 1 (2):75-85

Spong CY, Berghella V, Wenstrom KD, Mercer BM, Saade GR. (2012) "Preventing the first cesarean delivery: summary of a joint Eunice Kennedy Shriver National Institute of Child Health and Human Development, Society for Maternal-Fetal Medicine, and American College of Obstetricians and Gynecologists Workshop". *Obstet Gynecol*;120:1181-93.

Stables D., Rankin J., (ed) (2010), *"Physiology in Childbearing, with Anatomy and Related Biosciences"*, Third Edition, London: Baillière Tindall

Stark M., Rudell B., Haus G., (2008), "Observing position and movement in hydrotherapy: a pilot study". *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 37: 116-122

Stewart M., "Feminisms and Intrapartum Care" in Denis Walsh & Soo Downe (2010), *"Essential midwifery practice: Intrapartum Care"*, Oxford: Blackwell Publishing Ltd

Strong T.H., (2001) *Expecting Trouble: The Myth of Prenatal Care in America*, New York: New York University Press

Sundström, P. (1998). Interpreting the notion that technology is value-neutral. *Medicine, Health Care and Philosophy*, 1, 41-45.

Szasz T., (2007) *"The Medicalization of Everyday Life: Selected Essays"*, Syracuse University Press

Taylor S., Klein L., Lewis B., Gruenewald T., Gurung R., Updegraff J., (2000), "Biobehavioral responses to stress in females: Tend-and-befriend, not fight-or-flight". *Psychological Review* 107:411-429

Tew M., (1990) "Safer Childbirth ? a critical history of maternity care", London: Chapman & Hall

The Lancet (2014), Midwifery_series, à
<http://www.thelancet.com/series/midwifery>

Thilaganathan B., Meher-Homji N., Nicolaides K.H., (1994), "Labor: An immunologically beneficial process for the neonate", *Am J Obstet Gynecol*, 171 (5): 1271-1272

Thomas, T., (2001). « Becoming a mother: matrescence as spiritual formation ». *Religious Education* 96, 88-105.

Thompson F., (2004) “*Mothers and midwives: The ethical journey*”, Books for Midwives, Edinburgh

Thompson G., “ Psychology and Labour Experience: Birth as a Peak Experience” in Denis Walsh et Sue Downe (ed) (2010), *Essential Midwifery Practice: Intrapartum Care*, Oxford: Wiley-Blackwell, pp.191-211

Thurer, Shari L., (1994) “*The myths of Motherhood: how culture invents the good mother*”, Boston : Houghton Mifflin Company

Tillard B., (2004), « Le placenta : entre oubli familial et investissement médical », *Face A Face: Regards sur la santé*, no 6, p. 48-58 à <http://faceaface.revues.org/371>

Transforming maternity care: a high-value proposition_Childbirth Connexion (2010) à <http://transform.childbirthconnexion.org/blueprint/>

Travathan W.R. (1987) « *Human birth: An evolutionary perspective* ». New York: Aldine de Gruyter

Trinh Xuan Thuan (1998). Le chaos et l'harmonie : La fabrication du Réel, Paris : folio essais

Tufnell CJ., Bryce F., Johnson N., Lilford RJ (1989), “Simulation of cervical changes in labour: reproducibility of expert assessment”. *Lancet*, 2 (8671): 1089-90

Tyzio, R., Cossart R., et al. (2006), “Maternal oxytocin triggers a transient inhibitory switch in GABA signaling in the fetal brain during delivery.” *Science* 314(5806): 1788-92.

Umenai T., Wagner M., et al (2001) "Conference agreement on the definition of humanization and humanized care", *International Journal of Gynecology and Obstetrics*. 75 (2001) S3-S4

Vadeboncoeur H., (2004), La naissance au Québec à l'aube du troisième millénaire : de quelle humanisation parle-t-on ? Thèse de doctorat, Sciences Humaines Appliquées, Université de Montréal. .

Vandelac, L.,(2002) « Éthique de la parole donnée », in Françoise Descarries et Christine Corbeil, « *Espaces et temps de la maternité* », Montréal : les éditions du remue-ménage, p 132-149

Van der Maren J.M. (2003) « En plus des critères de scientifcité de la recherche, il y a aussi ceux des chercheurs! » Conférence lors du colloque de l'Association pour la Recherche Qualitative (ARQ), automne 2003

VandeVusse L., (1999), "The Essential Forces of Labor Revisited: 13 Ps Reported in Women's Stories", *The American Journal of Maternal/Child Nursing*, 24(4): 176-184

Van Gennep, A. (1909/1981). « *Les rites de passage : étude systématique des rites* » Paris : A. et J. Picard. (Ouvrage original publié en 1909).

Volant, E. (2003). « *La maison de l'éthique* ». Paris: Liber.

Von Hayek F., (1953) *Scientisme et sciences sociales_essai sur le mauvais usage de la raison*, Paris : Librairie Plon

Vose C. (2003), "The nature of natural birthing. The Chemical Symphony of Birth", *Byronchild*, 4 (dec-Feb): 7-9

Wagner M. (2001), "Fish Can't See Water: The Need to Humanize Birth". *International Journal of Gynecology & Obstetrics* 75(suppl. 1):S25-S37.

Waldenström U., Turnbull D., (1998), "A Systematic Review Comparing Continuity of Midwifery Care with Standard Maternity Services". *BJOG* 105(11):1160-70.

Walker, M. B. (1998). "Philosophy and the maternal body: reading silence". London, New York: Routledge.

Walsh D., (1999) "An Ethnographic study of women's experience of partnership caseload midwifery practice: the professional as friend". *Midwifery*, 15(3): 165-176

Walsh D., Newburn M., (2002), "Towards a social model of childbirth: part one", *British Journal of Midwifery*, 10 (8): 476 - 481

Walsh D, Downe SM., (2004), "Outcomes of Free-Standing, Midwife-Led Birth Centers: A Structured Review". *Birth* 31(3):222-29.

Walsh D., (2006), "Subverting assembly-line birth: childbirth in a free-standing birth centre". *Social Science and Medicine*, 62(6): 1330-1340

Walsh, D, Downe SM., (ed) (2010), "Essential Midwifery Practice: Intrapartum Care", London: Bralckwell Publishing Ltd

Wattis L., (2004), The third stage maze: which practice pathway for optimum outcomes? In S. Wickes (Ed). "Midwifery Best Practice 2". London: Elsevier

- Wilson T, Holt T. « Complexity and clinical care ». *BMJ* 2001; 323:685-688
- Winter C., Cameron J., (2006) , “The 'stages' model of labour: Deconstructing the myth”.*BJM* 14(8):454-6
- World Health Organisation (WHO), International Confederation of Midwives (ICM) 2008, “Managing prolonged and obstructed labour_ Education material for teachers of midwifery”, 2e éd, à http://www.searo.who.int/LinkFiles/Publications_Midwifery_Education_Modul e_3.pdf
- Wolf S, Berle B.B. (1981), « *The technological imperative in medicine* ». New York: Plenum Press
- Woods T., (2006), “The transitional stage of labour”. *MIDIRS*, 16 (2):225-228
- Yildirim G., Beji N., (2008) “Effects of pushing techniques in birth on mother and fetus: a randomized study”. *Birth*, 35(1): 25-30
- Young LJ., (2009), “Being human. Love: Neuroscience reveals all”. *Nature*, 457 (7226),
- Zanetti-Dallenbach R, Lapaire O, Maertens A, et al., (2006), “Water birth, more than a trendy alternative: a prospective, observational study”. *Arch Gynecol Obstet.* 274(6):355-65.
- Zborowsky M.,(1969), “*People in pain*”, San-Francisco: ed. Jossey-Bassine,
- Zhang J, Yancey MK, Klebanoff MA, et al. (2001), “Does epidural analgesia prolong labor and increase risk of cesarean delivery? A natural experiment”. *Am J Obstet Gynecol.* 185(1):128-34.
- Zhang J.,Troendle JF, Yancey MK.(2002) “Reassessing the labor curve in nulliparous women”. *Am J Obstet Gynecol.*; 187(4):824-8.
- Zhang J. et al (2010) , “Contemporary Patterns of Spontaneous Labor With Normal Neonatal Outcomes”, *Obstetrics and Gynecology* Vol 116, no 6: 1281-1287
- Zola I.K., (1972) « Medicine as an institution of Social Control », *The Sociological Review*, 20 (4) : 487-504